

402-128-4IN THE UNITED STATES PATENT & TRADEMARK OFFICE

Applicant: Gerald Falbel

Title: Airborne Search & Rescue  
ScannerVIA FACSIMILE  
(703) 746-9195

Serial No. 10/820,300

Filed: April 8, 2004

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450Attn: Office of Initial Patent Examination  
Filing Receipt CorrectionsREQUEST FOR CORRECTED FILING RECEIPT

Enclosed is a copy of the filing receipt (dated 9/21/04) for the above identified patent application. The Power of Attorney indicated on the filing receipt (Robert Bonczek - 25954) is incorrect.

The Correct Power of Attorney, as set forth in the Inventor's Declaration executed by the Inventor and filed with the original patent application, is to the undersigned - Mark P. Stone, Reg. No. 27,954.

BEST AVAILABLE COPY

Please issue a corrected filing receipt designating the undersigned as the attorney of record for the Applicant.

Respectfully submitted,

10/22/04

Dated



Mark P. Stone  
Reg. No. 27,954  
Attorney for Applicant  
25 Third Street, 4th Floor  
Stamford, CT 06905  
(203) 329-3355

BEST AVAILABLE COPY



## UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPL NO.	FILING OR 371 (c) DATE	ART UNIT	FIL FEE REC'D	ATTY. DOCKET NO	DRAWINGS	TOT CLMS	IND CLMS
10/820,300	04/08/2004	3662	385	402-128-4	9	20	2

CONFIRMATION NO. 7446

UPDATED FILING RECEIPT



\*OC000000013846804\*

Mark P. Stone  
4th Floor  
25 Third Street  
Stamford, CT 06905

Date Mailed: 09/21/2004

Receipt is acknowledged of this regular Patent Application. It will be considered in its order and you will be notified as to the results of the examination. Be sure to provide the U.S. APPLICATION NUMBER, FILING DATE, NAME OF APPLICANT, and TITLE OF INVENTION when inquiring about this application. Fees transmitted by check or draft are subject to collection. Please verify the accuracy of the data presented on this receipt. If an error is noted on this Filing Receipt, please write to the Office of Initial Patent Examination's Filing Receipt Corrections, facsimile number 703-746-9195. Please provide a copy of this Filing Receipt with the changes noted thereon. If you received a "Notice to File Missing Parts" for this application, please submit any corrections to this Filing Receipt with your reply to the Notice. When the USPTO processes the reply to the Notice, the USPTO will generate another Filing Receipt incorporating the requested corrections (if appropriate).

## Applicant(s)

Gerald Falbel, Stamford, CT;

## Power of Attorney:

~~Robert Bonczek-25954~~

Mark P. Stone - 27954

Domestic Priority data as claimed by applicant

## Foreign Applications

Projected Publication Date: To Be Determined - pending completion of Security Review

Non-Publication Request: No

Early Publication Request: No

\*\* SMALL ENTITY \*\*

## Title

Airborne search and rescue scanner